a' tont

CORVOCOS CRISS

$$\begin{array}{c|c}
R^8 \\
\hline
(CH_2)_n \\
\hline
R^5
\end{array}$$

where n [is included between] ranges from 0 [and] to 8;


Z is oxygen, nitrogen or sulfur heteroatom;

R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are independently hydrogen;

hydrocarbon radical, saturated [insaturated] <u>unsaturated</u> or aromatic, linear or [ramified] <u>branched</u> and/or cyclic, [especially alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl, aryl, heterocycloalkyl, of said radical] <u>optionally</u> including [or not] heteroatom(s); R<sup>6</sup> and R<sup>8</sup> may be [included] <u>present</u> in a cycle;

oxygen ether bearing one of the former radicals;

- or to the following linear alkene formula;



where m [is included between] ranges from 1 [and] to 8

 $R^5$ ,  $R^6$  and  $R^8$  are as defined above;

EGEVODOS O BLESS

a'cont.

- or to the following formula;

where n, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are as defined above;

Z and  $Q^2$  are independently oxygen, nitrogen or sulfur heteroatom;

Q1 is carbon, silicium or phosphorus atom;

R<sup>9</sup> and R<sup>10</sup> are independently hydrogen, alkoxy, hydrocarbon radical, <u>optionally</u> including [or not] heteroatom(s), saturated, unsaturated or aromatic, linear or [ramified] <u>branched</u> and/or cyclic [,especially alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heterocycloalkyl];

R<sup>9</sup> and/or R<sup>10</sup> having the ability to be null or taken together to make an heteroatom and/or make a multiple bond with Q<sup>1</sup>, R<sup>9</sup> and R<sup>11</sup> having the ability to be null to make a multiple bond between the two atoms of carbon bearing them; and

R<sup>11</sup> is hydrogen, arylcarbonyl, alkoxycarbonyl, aryloxycarbonyl or alkylcarbonyl; where

a'cont.

-O-CTX is cephalotaxine moiety of the following formula or a salt thereof;

where p is equal to 1 or 2;

the two types of radicals - $\Omega$  and -CTX above-mentioned being bonded with an ester bond -CO-O-

the said process bringing together:

- either carboxylic acid with general formula  $\Omega$ -CO-OH or a salt thereof;
- or an activated form of an acid with general formula  $\Omega$ -CO-A or a salt thereof, with  $\Omega$ -CO of the following formula:

$$\begin{array}{c|c}
R^8 \\
\hline
 (CH_2)_n & CO_{-1}
\end{array}$$

where n, Z, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are as defined above;

where  $\Omega$ -CO of the following formula:

m [is included between] ranges from 1 [and] to 8, Z, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are as defined above;

where  $\Omega$ -CO of the following formula:

$$R^{11}$$
 $Q^{10}$ 
 $Q^{2}$ 
 $Q^{2}$ 
 $Q^{3}$ 
 $Q^{4}$ 
 $Q^{5}$ 
 $Q^{5}$ 
 $Q^{6}$ 
 $Q^{6}$ 
 $Q^{6}$ 
 $Q^{6}$ 
 $Q^{6}$ 

where n, Z, Q<sup>1</sup>, Q<sup>2</sup>, R<sup>5</sup>, R<sup>6</sup>, R<sup>8</sup>, R<sup>9</sup>, R<sup>10</sup> and R<sup>11</sup> are as defined above A represents:

- either cyclic anhydride of the following formula:

where n, R<sup>6</sup> and R<sup>8</sup> are as defined above;

Ocont.

this reaction has been completed by methylation of the primary carboxyl thus formed, with:

- either a hydroxyl group bearing cephalotaxane or a salt thereof of the formula H-O-CTX, where CTX are as defined above;
- or a metallic alcoxide of the formula M-O-CTX, where CTX are as defined above and M is a metal;
- or an activated form of its hydroxyl group of the formula Y-O-CTX, where -O-CTX is as defined above and Y is, either a leaving group to allow a negative charge on oxygen atom by cleavage between Y and OCTX, or to allow a carbocation by cleavage between Y-O- and -CTX;

with the possible presence of one or several reaction additives to form said sidechain-bearing cephalotaxane and/or a salt thereof.

Claim 4, line 1, delete "anyone of claims 1 to 3" and insert --claim 1--;

Claim 5, line 1, delete "anyone of claims 1 to 3" and insert --claim 1--;

Claim 6, line 1, delete "anyone of claims 1 to 5" and insert --claim 1--;

Claim 7, line 1, delete "anyone of claims 1 to 5" and insert --claim 1--;

Claim 9, line 1, delete "anyone of claims 1 to 8" and insert --claim 1--;

Claim 9, line 2, delete "where Ω is as defined according to claim 1";

Claim 10, line 1, delete "anyone of claims 1 to 8" and insert --claim 1--;

Claim 11, line 1, delete "anyone of claims 1 to 8" and insert --claim 1--;

Claim 12, line 1, delete "anyone of claims 1 to 8" and insert --claim 1--;

Claim 13, line 1, delete "anyone of claims 1 to 8" and insert --claim 1--;

Claim 15, line 1, delete "anyone of claims 1 to 8" and insert --claim 1--;

Claim 16, line 2, delete "as defined according to claim 1";

Claim 18, line 1, delete "previous claims" and insert --claim 1--;

Claim 18, lines 2-3, delete "such as tertiary amine for example";

Claim 20, line 1, delete "anyone of previous claims" and insert --claim 1--;

Claim 20, line 2, delete "is corresponding" and insert --corresponds--;

Claim 20, delete line 4;

Claim 20, delete line 7;

Claim 20, line 8, delete "himself";


21. (Amended) The process according to [anyone of claims 1 to 20] claim 1, wherein M is an alkaline metal [such as lithium, potassium or sodium].

Claim 22, line 1, delete "is";

Claim 23, line 1, delete "is";

24. (Amended) A sidechain-bearing cephalotaxane corresponding to the following

formula and/or a salt thereof:



Q3cont.

where

n [is included between] ranges from 9 [and] to 8;

Z is oxygen, nitrogen or sulfur heteroatom;


R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are independently hydrogen;

hydrocarbon radical, saturated, [insaturated] <u>unsaturated</u> or aromatic, linear or [ramified] <u>branched</u> and/or cyclic [especially alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl, or said radical] <u>optionally</u> including [or not] heteroatom(s);

oxygen ether bearing one of the former radicals;

[CTX is as defined according to anyone of claims 1 to 3];

-O-CTX is cephalotaxine moiety of the following formula or a salt thereof:



where p is equal to 1 or 2;

the two types of radicals -Ω and -CTX above mentioned being bonded with an ester

bond -CO-O-

except for compounds where Z is oxygen atom and,

1°) n = 2 or 3, and simultaneously  $R^6 = R^8 = \text{methyl}$  and  $R^5 = 0$  OMe or hydroxyl,

1° n = 2 and simultaneously  $R^6 = R^8 = \text{methyl}$  and  $R^5 = OMe \text{ or hydroxyl}$ ;

- 3 and simultaneously R<sup>6</sup> is hydroxyl, when R<sup>8</sup> is [methyl] methyl and R<sup>5</sup> is -CH<sub>2</sub>CO<sub>2</sub>CH<sub>3</sub> radical.
- 25. (Amended) A sidechain-bearing cephalotaxane corresponding to the following formula and/or a salt thereof

where

m, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 1, and CTX is as defined according to [anyone of claims 1 to 3] claim i

except compound where m = 2,  $R^5 = CH_2CQ_2CH_3$ ,  $R^6 = R^8 = methyl$  and [CTX]is as defined according to claim 3] -o-CTX is cephalotaxine, where R1 is hydroxyl, R2 is methoxyl, R<sup>3</sup> and R<sup>4</sup> are hydrogen.

Claim 27, line 5, delete "as";

Claim 27, lines 5-6, delete "anyone of claims 1 to 3" and insert --claim 1--;

Claim 34, line 1, delete "anyone of claims 1 to 21" and insert --claim 1--;

Claim 34, line 29, after "the said" insert -- optionally--;

Claim 34, line 29, delete "or not";

Claim 34, line 30, delete "insaturated" and insert --unsaturated--;

Claim 34, line 30, delete "ramified" and insert --branched--;

Claim 34, lines 31-32, delete "especially alkyl, alkenyl, alkynl, cycloalkyl, cycloalkyl, aryl, or heterocycloalkyl";

Claim 35, line 6, delete "preferably dichloromethane,";

Claim 35, line 10, delete "where n, CTX, R<sup>5</sup>, R<sup>6</sup> et R<sup>8</sup> are defined according to claim 1";

Claim 36, line 1, delete "anyone of claims 1 to 21 and claim 34" and insert --claim 1--;

Cláim 36, delete line 4;

Claim 36, line 6, delete "such as" and insert --wherein--;

Claim 36, line 9, delete "of";

Claim 36, line 9, delete "its" and insert --the--;

Claim 36, line 9, delete "form" and insert --forms--;

Claim 37, line 4, delete "where n, Z, R<sup>6</sup>, R<sup>8</sup>, and R<sup>5</sup> are as defined according to claim 1";

Claim 38, line 4, delete "where n, Z, R<sup>6</sup>, R<sup>8</sup>, and R<sup>5</sup> are as defined according to claim 1";

Claim 39, lines 4-5, delete "where n, R<sup>5</sup>, R<sup>6</sup>, R<sup>8</sup>, Z, Q<sup>2</sup>, Q<sup>1</sup>, R<sup>9</sup>, R<sup>10</sup> and R<sup>11</sup> are as defined according to claim 1".

Claim 40, line 1, delete "anyone of claims 36 to 39";

Claim 40, line 3, delete "such as  $\Omega$  and  $\Delta^*$  are as defined according to claim 36";

Claim 40, line 3, delete "the";

Claim 40, lines 5-6, delete "such as  $\Delta^*$  is as defined according to claim 36, according the process of the claim 1".

Claim 41, line 1, delete "anyone of claims 36 to 39" and insert --claim 36--;

~Claim 41, lines 3-4, delete "such as  $\Omega$  and  $\Delta^*$  are as defined according to claim 36";

Claim 41, line 4, delete "the";

Claim 41, lines 6-7, delete "such as  $\Delta^*$  is as defined according to claim 36, according the process of the claim 1".

Claim 42, line 1, delete "anyone of claims 36 to 39" and insert --claim 36--;

Claim 42, line 3, delete "such as  $\Omega$  and  $\Delta^*$  are as defined according to claim 36";

Claim 42, line 3, delete "the";

Claim 42, lines 5-6, delete "such as  $\Delta^*$  is as defined according to claim 36, according the process of the claim 1".

Claim 43, line 1, delete "anyone of claims 36 to 39" and insert --claim 36--;

Claim 43, line 2, delete "just";

Claim 43, line 2, delete "of" and insert --an--;

Claim 43, line 3, delete "the either one or the other of the three" and insert -- one of the--;

Claim 43, delete line 8;

Claim 44, line 1, delete "anyone of claims 36 to 39" and insert --claim 36--;

Claim 44, line 2, delete "labil" and insert -- labile--;

Claim 45, line 1, delete "anyone of claims 36 to 39" and inset --claim 36--;

Claim 45, line 2, delete "labil" and insert -- labile--;

Claim 54, line 1, delete "anyone of claims 1 to 21 and 34 to 49" and insert --claim 1--;

Claim 54, line 9, delete the period and inset --; --;


Claim 54, line 15, delete "is included between 1 and 8" and insert --range from t to 8--;

Claim 54, line 19, delete "more generally by the method of the start of art" and inset --by a method--;

Claim 55, line 2, delete "just take place" and insert -- is conducted--;

Claim 58, line 1, delete "anyone of claims 54 to 57" and insert --claim 54--;

59. (Amended) The tertiary heterocycloalcane carboxylic acid, [included its salts and] or salt thereof or each one of its ure enantiomeric forms or [in] the racemic mixture or [in[ the variable composition, corresponding to the following formula:



where n [is included between] <u>ranges from 1 [and] to 8, [Z, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 1] Z is oxygen, nitrogen or sulfur heteroatom, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are</u>

noezanna naes

Orong

independently hydrogen, hydrocarbon radical, saturated, unsaturated or linear or branched and/or cyclic, optionally including heteroatoms, and R<sup>5</sup> is not hydrogen;

except for compounds where Z is oxygen atom and,

- 1°) n = 0 and R is not -CH<sub>2</sub>CO<sub>2</sub>H or -CH<sub>2</sub>CO<sub>2</sub>CH<sub>3</sub> radical;
- 2°) n = 0 and R<sup>5</sup> is  $-CH_2CO_2H$  or  $-CH_2CO_2CH_3$  radical, and R<sup>6</sup> = R<sup>8</sup> = methyl or  $-CH_2CO_2H$  or  $-CH_2CO_2CH_3$  radical;
- 3°) n = 2 and simultaneously  $R^6 = R^8 = methyl$ , and  $R^5 = OMe$  or hydroxyl;
- 4°) n = 2 and simultaneously R<sup>8</sup> = R<sup>8</sup> = methyl, and R<sup>5</sup> is -CH₂CO₂H or -CH₂CO₂CH₃ radical or methyl;
- 5°) n = 3 and simultaneously R<sup>6</sup> is hydroxyl, and R<sup>8</sup> is methyl, and R<sup>5</sup> is -CH<sub>2</sub>CO<sub>2</sub>CH<sub>3</sub> radical;
- 6°) n = 3 and simultaneously  $R^6 = R^8 = \text{methyl}$  and  $R^5 = OH$  or methyl or ethyl.
- 60. (Amended) The teritary oxacycloalcane carboxylic acid [included its salts and] or salt thereof or each one of its pure enantiomeric forms of [in] the racemic mixture of [in] the variable composition, according to claim 59 corresponding to the following formula:

$$R^{8}$$
 $(CH_{2})_{n}$ 
 $CO-O-H$ 

Chort.

where n [is included between] <u>ranges from 0 [and] to 8, R<sup>5</sup>, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 59, but are not hydrogen simultaneously.</u>

61. (Amended) The teritary heterocycloalcane carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture of [in] the variable composition according to claim 54, corresponding to the following formula:

$$\begin{array}{c|c}
R^{8} \\
\hline
(CH_{2})_{n} \\
\hline
R^{6}
\end{array}$$

[where n is included between 0 and 8, Z, R, R<sup>6</sup> and R<sup>8</sup> are as defined according to cliam 59,] and R<sup>5</sup> is not hydrogen [, and R<sup>12</sup> is defined according to claim 54].

62. (Amended) The tertiary oxacycloalcane carboxylic hemiester, [included its salts and] or salt thereof or eachone of its pure enantiomeric forms of [in] the racemic mixture or [in] the variable composition according to claim 59, corresponding to the following formula:

$$R^6$$
 $(CH_2)_n$ 
 $CH_2CO_2Me$ 

O Long

[where n is included between 0 and 8, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 59].

63. (Amended) The tertiary oxacycloalcane carboxylic hemiester, [included its salts and] or salt thereof or each one of its pure enantiomeric forms of [in] the racemix mixture of [in] the variable composition according to claim 54, corresponding to the following formula:

$$R^{8}$$
 $(CH_{2})_{n}$ 
 $CO_{2}R^{12}$ 
 $CH_{2}CO_{2}Me$ 

[where n is included between 0 and 8, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 59, R<sup>12</sup> is defined according to claim 54].

64. (Amended) The tertiary oxacycloalcane carboxylic hemiester or anhydrohomoharringtonic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture of [in] the variable composition, corresponding to the following formula:

 $\begin{array}{c} Me \\ Me \\ (CH_2)_3 \\ CH_2CO_2Me \end{array}$ 

65. (Amended) The tertiary oxacycloalcane carboxylic hemiester or anhydro-harringtonic acid, [icluded its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemix mixture or [in] the variable composition, according to claim 59 corresponding to the following formula:

$$Me$$
 $(CH_2)_2$ 
 $CO-O-N$ 
 $CH_2CO_2Me$ 

66. (Amended) The tertiary oxacycloalcane carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms of [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

Ph—
$$O$$
 $(CH_2)_n$ — $CO-O-H$ 

On on

[where n is included between 0 and 8, R5 is as defined according to claim 59].

67. (Amended) The tertiary oxacycloalcane carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

where n [is included between] ranges from 1 [and] to 8.

68. (Amended) The tertiary oxacycloalcane carboxyylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

where n [is included between]  $\underline{ranges\ from}\ 0$  [and 8]  $\underline{to}\ 8$ .

oszans "ozasy

69. (Amended) The tertiary6 oxacycloalcane carboxylic acid or oxanhydroneoharringtonic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemix mixture or [in] the variable composition, corresponding to the following formula:

70. (Amended) The tertiary oxacycloal cane carboxylic acid or oxanhydroneohomoharringtonic acid, [included its salts and] or salt thereof or erach one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

71. (Amended) The tertiary oxacycloalcane carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

Olont

72. (Amended) the tertiary alkene carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

where m [is included between] <u>ranges from 1 [and] to 8</u>, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 1, but are not hydrogen simultaneously, and R<sup>5</sup> is not hydrogen or heteroatom.

Claim 73, line 2, after "composition," insert --according to claim 54--; Claim 73, delete lines 5, 6, and 7.

05

<u>o</u>

74. (Amended) The teritary alkene carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, according to claim 59 corresponding to the following formula:


Oscent

[where m is included between 1 and 8,] wherein R<sup>6</sup> and R<sup>8</sup> [are as defined according to claim 1 but] are not hydrogen.

75. (Amended) The tertiary alkene carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racemic mixture or [in] the variable composition, corresponding to the following formula:

Me OH 
$$(CH_2)_2$$
 CO-O-H  $CH_2CO_2Me$ 

76. (Amended) The tertiary alkene carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the racernic mixture of [in] the variable composition, corresponding to the following formula:



77. (Amended) The tertiary alkene carboxylic acid, [included its salts and] or salt thereof or each one of its pure enantiomeric forms or [in] the variable composition, corresponding to the following formula:

where m [is included between] ranges from 1 to 8.

Qu

COEFOCIOS CILLEGO

- 79. (Amended) The anhydrides of acid according to [anyone of claims 58 to 70] claim 58, of the [general] formula  $\Omega$ -CO-O-CO- $\Omega$  where  $\Omega$  is [as defined according to claim 1] a representative radical of the chain terminal moiety.
- 80. (Amended) The mixed anhydrides of acid according to [anyone of claims 58 to 70] claim 58, of the [general] formula  $\Omega$ -CO-A where A is [as defined according to anyone of claims 12, 13 or 15] selected from substituents:


oseyndas "ostess

methoxxformyloxy of formula MeOCOO-, trifluoroacetxloxy of formula CF<sub>3</sub>COO-, alkylsulfonoxy of formula RSO<sub>3</sub>-, phosphoxy of formula (RO)<sub>2</sub>PO-, halophosphoxy of formula ROP(C1)O-,

dimethyl-formamidinium chtoride of formula:

trialkylsilyloxy of formula R<sub>3</sub>SiQ-.


or acyloxy-pyridinium bromide of formula:



Claim 82, line 1, delete "anyone of claims 58 to 70" and insert --claim 58--;

Claim 82, line 2, delete "general".

83. (Amended) The cyclic anhydrides corresponding to the following formula:



where [n, R<sup>6</sup> and R<sup>8</sup> are as defined according to claim 1] n ranges from 0 to 8, R<sup>6</sup> and R<sup>8</sup> are independently hydrogen, hydrocarbon radical, saturated, unsaturated or aromatic, linear or branched and/or cyclic optionally including heteroatoms.

Claim 85, line 1, delete "anyone of claims 1 to 21 and 34 to 49" and insert --claim 1--;

Claim 86, line 1, delete "anyone of claims 1 to 21 and 34 to 49" and insert --claim 1--;

Claim 86, line 3, delete "as a pharmaceutical use";

Claim 86, line 5, delete "named";

Claim 86, line 19, delete "especially making use of" and insert --using--;

Claim 86, lines 21-22, delete "preferably n-octadecylsilane,].